

**US74** 



# **Specifications**

## Composition

- R51 Type P (pressure balance) rough
- 4665C Hand shower rail
- 774C Elbow supply
- TUS71C Type P (pressure balance) valve trim

## **Certifications**

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

**CUPC®** 

#### Warranty

This Riobel Inc. product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



Type P (pressure balance) rough **R51** 



# **Specifications**

# **Descriptions**

- ½" outlet male NPT or sweat
- Service valves
- 1/2" inlet male NPT or sweat
- Test cap
- TXX51XX trim required to complete
- Rough only


## Available colors

•

## Certifications

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval

cUPC®



Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



**4665** 





# **Specifications**

# **Descriptions**

- 4365, 2-jet hand shower
- Square slide bar
- 150 cm (59") double interlock flexible hose, swivel and 2 check valves
- · Scale-free
- Easy-Glide left cursor

## Available colors

• C : Chrome


### Available flows

- 7.6 L/min, 2.0 gpm (US) 60psi
- 5.69 L/min, 1.5 gpm (US) 60psi ( 4665-15 )
- 6.6L/min, 1.75 gpm (US) 60psi ( 4665-WS ) \*

\*EPA certification applicable to the indicated model only\*

#### **Certifications**

- CSA B125.1
- ASME A112.18.1
- CMR248 Approval



Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**





# **Specifications**


# **Descriptions**


- ½" inlet female NPT
- ½" outlet male
- Adjustable depth

### **Available colors**

• C : Chrome

BN : Brushed Nickel (PVD)PN : Polished Nickel (PVD)





Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**



Type P (pressure balance) valve trim **TUS71** 



# **Specifications**

# **Descriptions**

- Trim only
- Ceramic cartridge and balancing spool with check valves
- Double action: flow and temperature control
- R71, R71-SPEX or R71-EX required to complete


### Available flow

• 22 L/min, 5.8 gpm (US) 60psi

## **Certifications**

- CSA B125.1
- ASME A112.18.1
- ASSE 1016
- CMR248 Approval
- ADA





Sizes, models and finishes may differ from thoses presented.

#### Warranty

This **Riobel Inc.** product you have purchased carries a Limited Lifetime Warranty on the chrome, PVD finish, blacks and all working parts and is guaranteed from the initial purchase date against all manufacturing defects. All other finishes, including plastic components, are guaranteed for one year. All electric and/or electronic parts are covered by a 5-year limited warranty.

#### **Customer Service**